

PI-B950PHTC500FEH-60



- 5MP Lite Sony CMOS
- IR LED: 42μ x 6PCS Smart SMD IR
- IR range: 80M
- Universal Video Output (AHD/CVI/TVI/CVBS)
- Board Lens: 2.8/3.6/6.0 mm
- Resolutions: 5MP/4MP/1080P
- IP 67




WWW.pioneersecu.net


➤ SPECIFICATION

Model Number	PI-B950PHTC500FEH-60
Video Output Mode	Switchable AHD/CVI/TVI/CVBS
Camera	
Image Sensor	1/2.8 Sony CMOS
Image Resolutions	5MP/4MP/2MP(1080P)
Frame Rate	AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps
TV System	
Minimum Illumination	Color: 0.005 Lux @ (F1.2, AGC ON), 0 Lux with IR
Scanning System	Progressive Scan
Electronic Shutter	Auto
Lens	
Focal Length	Board lens 2.8 / 3.6 / 6 mm
Lens Type	Fixed
Focused Control	Fixed
Lens Mount	M12
Night Vision	
IR Cut Filter	Yes
Infrared LED	42μ x 6PCS Smart SMD IR
Distance	60m
IR Status	AGC Auto Control
Camera Features	
Starlight	No
Day/Night	Yes
OSD Control	Yes
Language	Multi
UTC	Yes
WDR	D-WDR
White Balance	Auto/Manual
Noise Reduction	DNR
Gain Control	Auto
General	
Housing	IP67
Material	Metal
Operating Conditions	-30 °C to +70 °C, Humidity: 90% or less
Power Source	DC 12V ±10%, 550mA
Dimension	170(W) x 110(H) x 101(D)mm
Weight	1650g

➤ **DRAWINGS**



Distributed By



www.pioneersecu.net